

Feeding Directions:

- Before Feeding EquiLix for the first time, animals should be well fed and have access to plenty of fresh water.
- 2. Have one lick block available for every five to ten head of horses.
- **3.** Provide an adequate source of good quality forage at all times (all they can eat).
- 4. Place lick blocks in stalls or in pastures where horses loaf.
- Make lick blocks available in more than one location in large pastures or where more than one water source is available.
- 6. If animals run out of lick blocks, repeat from Step #1.
- 7. Other salt and minerals may be provided free choice to balance specific rations.
- **8.** A two week adaptation period will be required to establish a base consumption rate.
- **9.** The above feeding directions are general guidelines and will vary with the overall feeding conditions.

Always use good management practices and adapt to your specific requirements.

Control #:

Guaranteed by: Harvest Fuel Inc / Walhalla, ND 58282 Mfd. by SweetPro Feeds / Horton, KS 66439 888.229.0475 / www.sweetpro.com Made in USA INGREDIENTS: Corn distillers dried grains with solubles, Corn condensed distillers solubles, Yeast culture, Salt, Monocalcium Phosphate, Diatomaceous Earth, Flax Meal, Pea Meal, Magnesium Oxide, Calcium Carbonate, Vegetable Oil, Calcium Sulfate, Potassium Chloride, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Zinc Polysaccharide Complex, Zinc Proteinate, Manganese Polysaccharide Complex, Manganese Proteinate, Copper Polysaccharide Complex, Copper Proteinate, Dried Aspergillus Oryzae Fermentation Extract, Liquid Aspergillus Niger Fermentation Product, Cobalt Carbonate, Ethylenediamine Dihydroiodide, Vitamin A Acetate (Stability Improved), Vitamin D3 Supplement, Vitamin E Supplement, Biotin.

Guaranteed Analysis

Crude Protein, Min	13.00%
Crude Fat, Min	6.00%
Crude Fiber, Max	11.00%
ADF, Max	10.00%
NDF, Max	17.00%
Calcium (Ca), Min	2.50%
Calcium (Ca), Max	3.00%
Phosphorus (P), Min	1.50%
Salt (NaCl), Min	12.00%
Salt (NaCl), Max	14.00%
Magnesium (Mg), Min	2.50%
Potassium (K), Min	1.10%

Sulfur (S), Min	1.00%
Copper (Cu), Min	600 ppm
Selenium (Se), Min	5.0 ppm
Zinc (Zn), Min	1200 ppm
Manganese (Mn), Min	750 ppm
lodine (I), Min	8.0 ppm
Cobalt (Co), Min	4.0 ppm
Fluorine, Max	0.8 ppm
Vitamin A, Min	100,000 IU/lb
Vitamin D, Min	20,000 IU/lb
Vitamin E, Min	350 IU/lb
Biotin, Min	18 ppm
Omega 3 Fatty Acid (ALA), Min	0.40%

CAUTION: Contains 600 ppm copper. Do not feed to sheep!

Net Wt. 250 lbs (114 kg)





