# Sucat Dro

# **76etPro 16-24**

<u>Sweet Pro</u>



SweetPro 16-24

PREMIUM FEED SUPPLEMENTS Reg. No. 820285

Supplement Block for Brood Cows, Stocker Cattle & Horses

Net Wt. 114 kg (250 lbs)

# **Guaranteed Analysis**

This feed contains added selenium at 5 mg/kg

Crude Protein, Min	16.00%	Flourine (F), Max	0.56 mg/kg
Crude Fat, Min	5.00%	Cobalt (Co), Actual	4.0 mg/kg
Crude Fiber, Max	5.50%	Copper (Cu), Actual	600 mg/kg
Calcium (Ca), Actual	1.25%	Iodine (I), Actual	8.0 mg/kg
Phosphorus (P), Actual	1.25%	Iron (Fe), Actual	400 mg/kg
Salt (NaCl), Actual	15.00%	Manganese (Mn), Actual.	750 mg/kg
Sodium (Na), Actual	4.00%	Zinc (Zn), Actual	1,000 mg/kg
Potassium (K), Actual	1.00%	Vitamin A, Min	200,000 IU/kg
Magnesium (Mg), Actual	2.75%	Vitamin D, Min	. 45,000 IU/kg
Sulfur (S), Actual	0.50%	Vitamin E, Min	180 IU/kg

Ingredients: Condensed Corn Distillers Solubles, Corn Distillers Dried Grains with Solubles, Corn Gluten Meal, Salt, Mono-Dicalcium Phosphate, Calcium Sulfate, Calcium Carbonate, Magnesium Oxide, Yeast Culture Dehydrated, Aspergillus Oryzae Fermentation Product Liquid, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Blend of Zinc, Manganese & Copper Proteinates (Reg. 982101), Cobalt Carbonate, Sodium Selenite, Ethylenediamine Dihydriodide, Mineral Oil, Vitamin E, Vitamin D3, Vitamin A Acetate.



1 (800) 327-9222

## Feeding Directions for SweetPro 16-24

- 1. Before Feeding *SweetPro 16-24* lick blocks for the first time, animals should be well fed and have access to plenty of clean, fresh water.
- 2. Have one lick block available for each 30 head of beef cattle.
- 3. Provide an adequate source of good quality forage at all times (all they can eat).
- 4. Place lick blocks near areas where animals loaf and at least 30 meters from water.
- Make lick blocks available in more than one location in large pastures or where more than one water source is available.
- 6. If animals run out of lick blocks, repeat from Step #1.
- 7. Provide a fresh, clean supply of water at all times.
- Other salt and mineral may be provided free choice to balance specific ration requirements.
- 9. A two week adaptation period will be required to establish a base consumption rate. After adaptation period, consumption will be approximately: 0.25 to 0.5 kgs/day. Monitor cattle and horses intake. If exceeds 0.5 kgs check forage quality.
- 10. The above feeding directions are general guidelines and will vary with the overall feeding conditions. Always use good management practices and adapt to your specific requirements.

### Caution

- Contains 600 ppm Copper. DO NOT FEED TO SHEEP Directions for use must be carefully followed.
- 2. Do not use in association with another feed containing supplemental selenium.

Control #:

Registered by Harvest Fuel, Inc. dba SweetPro Feeds Walhalla, ND 58282 Horton, KS 66439

All rights reserved. SweetPro\* is a registered trademark of Harvest Fuel, Inc. Made In U.S.A. Printed with soy inks.

Patent NO.: US 5,260,089 Patent NO.: US 6,777,019 B1 Patent NO.: US D352,136 Patent NO.: US D440,362 Patent NO.: US D428,232