## SWZZE DIO®

Reg. No. 621302

A Supplement Block for Beef Cattle and Breeding Stock

Net Wt. 114 kg. (250 lbs.)

## **Guaranteed Analysis**

This feed contains added selenium at 5 mg/kg

Crude Protein, Min	Magnesium (Mg), Actual 4.00%
Crude Protein from non protein nitrogen source,	Sulfur (S), Actual
Max	Flourine (F), Max0.56 mg/kg
Crude Fat, Min	Cobalt (Co), Actual 4.0 mg/kg
Crude Fiber, Max 5.50%	Copper (Cu), Actual 600 mg/kg
Calcium (Ca), Actual	Iodine (I), Actual 8.0 mg/kg
Phosphorus (P), Actual 1.40%	Iron (Fe), Actual 400 mg/kg
Salt (NaCl), Actual	Manganese (Mn), Actual 750 mg/kg
Sodium (Na), Actual 5.02%	Zinc (Zn), Actual 1,200 mg/kg
Vitamin A, Minimum	220,000 IU/kg
Vitamin D, Minimum	44,000 IU/kg
Vitamin E, Minimum	

**Ingredients:** Corn Distillers Dried Grains with Solubles, Corn Condensed Distillers Solubles, Salt, Corn Gluten Meal, Ammonium Sulfate, Magnesium Oxide, Monocalcium Phosphate, Biuret, Calcium Carbonate, Calcium Sulfate Dihydrate, Potassium Chloride, Yeast Culture Dehydrated, Zinc Sulfate Monohydrate, Manganous Sulfate Monohydrate, Copper Sulfate, Zinc Proteinate (Reg. 990743), Manganese Proteinate (Reg. 990744), Copper Proteinate (Reg. 990741), Aspergillus Oryzae Extract Dehydrated, Aspergillus Niger Fermentation Product Liquid, Cobalt Carbonate, Sodium Selenite, Ethylenediamine Dihydriodide, Vitamin A Acetate, Vitamin D3 (Reg. 990017), Vitamin E (Reg. 990018).

## Magnum

Directions for Use

- Before feeding SweetPro® Magnum lick blocks for the first time, animals should be well fed.
- 2. Provide access for animals to have plenty of clean, fresh water at all times.
- 3. Have one lick block available per 25 head of beef cows.
- 4. Provide an adequate source of good quality roughage and forage at all times (all they can consume).
- 5. Place blocks near water sources or areas cattle frequent regularly.
- Make blocks available in more than one location in large pastures or where more than one water source is available.
- 7. If animals run out of lick blocks, repeat from Step#1.
- 8. Other salt and minerals may be provided free choice to balance specific needs.
- A two week adaptation period will be required to establish a base consumption
  rate. After adaptation period, recommended range of intake is 0.34 to 0.56 kgs. per
  day.
- If daily consumption is consistently below 0.34 kgs/hd/day, transition to SweetPro® Super25.

The above feeding directions are general guidelines and will vary with the overall feeding conditions. Always use good management practices.

## Caution!

Contains 600 ppm copper. DO NOT FEED TO SHEEP!

Do not use in association with another feed containing supplemental selenium.



Control	#: