

SweetPro®

Supplement Block for Breeding Beef Cattle

Net Wt. 114 kg.
(250 lbs.)

Reg. No. 621302

Guaranteed Analysis

Crude Protein, Min.....	30.00%	Magnesium (Mg), Min.....	4.00%
Crude Protein from non protein nitrogen source, Max.....	15.00%	Sulfur (S), Min.....	2.50%
Crude Fat, Min.....	3.50%	Flourine (F), Max.....	0.56 mg/kg
Crude Fiber, Max.....	5.50%	Selenium (Se), Min.....	5.0 mg/kg
Calcium (Ca), Min.....	2.75%	Cobalt (Co), Min.....	4.0 mg/kg
Phosphorus (P), Min.....	1.40%	Copper (Cu), Min.....	600 mg/kg
Salt (NaCl), Min.....	12.00%	Iodine (I), Min.....	8.0 mg/kg
Sodium (Na), Min.....	4.72%	Iron (Fe), Min.....	400 mg/kg
Potassium (K), Min.....	0.60%	Manganese (Mn), Min.....	750 mg/kg
		Zinc (Zn), Min.....	1,200 mg/kg
Vitamin A, Minimum.....	220,000 IU/kg		
Vitamin D, Minimum.....	44,000 IU/kg		
Vitamin E, Minimum.....	180 IU/kg		

Ingredients: Corn Distillers Dried Grains with Solubles, Corn Condensed Distillers Solubles, Salt, Ammonium Sulfate, Magnesium Oxide, Calcium Carbonate, Corn Gluten Meal, Monocalcium Phosphate, Biuret, Calcium Sulfate, Potassium Chloride, Yeast Culture Dehydrated, Zinc Sulfate Monohydrate, Manganous Sulfate Monohydrate, Copper Sulfate, Zinc Proteinat (Reg. 990743), Manganese Proteinat (Reg. 990744), Aspergillus Oryzae Extract Dehydrated, Aspergillus Niger Fermentation Product Liquid, Cobalt Carbonate, Sodium Selenite, Ethylenediamine Dihydroiodide, Vitamin A Acetate, Vitamin D3 (Reg. 990017), Vitamin E (Reg. 990018).



Lot Number#: _____

Magnum Directions for Use

1. Before feeding SweetPro® Magnum lick blocks for the first time, animals should be well fed.
2. Provide access for animals to have plenty of clean, fresh water at all times.
3. Have one lick block available per 25 head of beef cows.
4. Provide an adequate source of good quality roughage and forage at all times (all they can consume).
5. Place blocks near water sources or areas cattle frequent regularly.
6. Make blocks available in more than one location in large pastures or where more than one water source is available.
7. If animals run out of lick blocks, repeat from Step#1.
8. Other salt and minerals may be provided free choice to balance specific needs.
9. A two week adaptation period will be required to establish a base consumption rate. After adaptation period, recommended range of intake is 0.34 to 0.56 kgs. per day.
10. If daily consumption is consistently below 0.34 kgs/hd/day, transition to SweetPro® Super25.

The above feeding directions are general guidelines and will vary with the overall feeding conditions. Always use good management practices.

Caution! Précaution!

Contains 600 mg/kg copper. **DO NOT FEED TO SHEEP!**
Contient 600 mg/kg de cuivre. **NE PAS DONNER AUX OVINS!**

Do not use in association with another feed containing supplemental selenium.
Ne pas utiliser en association avec un autre aliment contenant du sélénium.
Directions for use must be carefully followed.
Suivre scrupuleusement le mode' emploi.

Registered by Harvest Fuel, Inc. dba SweetPro Feeds, Walhalla, ND 58282 USA (800) 327-9222
Imported by Nutrition Partners 20 East Avenue, Airdrie, AB T4A 2G8 Canada

All rights reserved. SweetPro is a registered trademark of Harvest Fuel, Inc. **Made in U.S.A.** Printed with soy inks.

Magnum™