EQUILIX Performance

Feeding Directions:

- Before Feeding EquiLix for the first time, animals should be well fed and have access to plenty of fresh water.
- Have one lick block available for every one to five head of horses.
- **3.** Provide an adequate source of good quality forage at all times (all they can eat).
- 4. Place lick blocks in stalls or in pastures where horses loaf.
- Make lick blocks available in more than one location in large pastures or where more than one water source is available.
- 6. If animals run out of lick blocks, repeat from Step #1.
- **7.** Other salt and minerals may be provided free choice to balance specific rations.
- **8.** A two week adaptation period will be required to establish a base consumption rate.
- **9.** The above feeding directions are general guidelines and will vary with the overall feeding conditions.

Always use good management practices and adapt to your specific requirements.

Control #:

Guaranteed by: Harvest Fuel Inc / Walhalla, ND 58282 Mfd. by SweetPro Feeds / Horton, KS 66439 888.229.0475 / www.sweetpro.com **Made in USA** **INGREDIENTS:** Corn distillers dried grains with solubles, condensed corn distillers solubles, yeast culture, salt, ground flax, pea meal, diatomaceous earth, magnesium oxide, monocalcium phosphate, calcium carbonate, vegetable oil, potassium chloride, garlic, copper proteinate, zinc proteinate, manganese proteinate, copper sulfate, zinc sulfate, manganese sulfate, cobalt carbonate, Ethylenediamine Dihydroiodide, sodium selenite, dried aspergillus oryzae fermentation extract, liquid aspergillus niger fermentation product, vitamin A acetate, vitamin D3 supplement, vitamin E supplement, biotin.

Guaranteed Analysis

Crude Protein, Min	14.00%
Crude Fat, Min	6.50%
Crude Fiber, Max	11.00%
ADF, Max	11.00%
NDF, Max	19.00%
Calcium (Ca), Min	1.75%
Calcium (Ca), Max	2.25%
Phosphorus (P), Min	1.00%
Salt (NaCl), Min	7.00%
Salt (NaCl), Max	8.40%
Magnesium (Mg), Min	2.00%
Potassium (K), Min	1.10%

Sulfur (S), Min	0.50%		
Copper (Cu), Min	600 ppm		
Selenium (Se), Min	5.0 ppm		
Zinc (Zn), Min	1200 ppm		
Manganese (Mn), Min	750 ppm		
lodine (I), Min	8.0 ppm		
Cobalt (Co), Min	4.0 ppm		
Fluorine, Max	0.8 ppm		
Vitamin A, Min	100,000 IU/lb		
Vitamin D, Min	20,000 IU/lb		
Vitamin E, Min	350 IU/lb		
Biotin, Min	18 ppm		
Omega 3 Fatty Acid (ALA),	Min 0.40%		
Min. 10.100 con stouch hudrohmod (min (nm			

CAUTION: Contains 600 ppm copper. Do not feed to sheep!

Net Wt. 125 lbs (57 kg)





