

SweetPro®

(114 kg.) **Net Wt. 250 lbs.**

Sheep Block 2

Guaranteed Analysis

Crude Protein	Minimum 18.50%
Crude Fat	Minimum 4.00%
Crude Fiber	Maximum 8.00%
ADF	Maximum 9.50%
Calcium (Ca)	Minimum 2.25% - Maximum 3.20%
Phosphorus (P)	Minimum 1.00%
Salt (NaCl)	Minimum 13.75% - Maximum 14.75%
Magnesium (Mg)	Minimum 2.35%
Potassium (K)	Minimum 0.50%
Sulfur (S)	Minimum 1.00%
Copper (Cu)	Minimum 24 ppm - Maximum 25 ppm
Selenium (Se)	Minimum 4.75 ppm - Maximum 5.25 ppm
Zinc (Zn)	Minimum 1,200 ppm
Manganese (Mn)	Minimum 750 ppm
Iron (Fe)	Minimum 400 ppm
Cobalt (Co)	Minimum 4.0 ppm
Iodine (I)	Minimum 8.0 ppm
Vitamin A	Minimum 100,000 IU/lb.
Vitamin D	Minimum 20,000 IU/lb.
Vitamin E	Minimum 80 IU/lb.
Alpha-Amylase	Minimum 3,393 ug starch hydrolyzed/min/oz.
Amyloglucosidase	Minimum 513 ug maltose hydrolyzed/min/oz.

Ingredients: Com Distillers Dried Grains with Solubles, Com Condensed Distillers Solubles, Salt, Diatomaceous Earth (*Diatomaceous Earth used as an inert carrier*), Mono-Calcium Phosphate, Magnesium Oxide, Calcium Carbonate, Yeast Culture, Com Gluten Meal, Processed Grain By-Products, Calcium Sulfate, Potassium Chloride, Vegetable Oil (Canola and Flax Oil), Zinc Sulfate, Manganese Sulfate, Zinc Polysaccharide Complex, Zinc Protein, Manganese Polysaccharide Complex, Manganese Protein, Cobalt Carbonate, Sodium Selenite, Ethylene-diamine Dihydroiodide, Vitamin A Acetate (Stability Improved), Vitamin D3 Supplement, Vitamin E Supplement.

Zinc and Manganese are 50% organically complexed.

Does Not Contain Any Animal Protein

Sheep Block 2

SweetPro® Sheep Block 2 is designed for essential fortification of sheep requirements for vitamins A, D & E, plus protein, calcium, phosphorus and trace elements including selenium. Daily intake will vary depending on forage quality and nutritional needs.

Feeding Instructions:

1. Before feeding SweetPro® Sheep Block 2 blocks for the first time, animals should be well fed.
2. Have one lick block available for each 50 head of sheep.
3. Provide access to plenty of clean, fresh water at all times.
4. Provide an adequate source of good quality roughage and forage at all times (all they can consume).
5. Place blocks near water sources or areas cattle frequent regularly.
6. Make blocks available in more than one location in large pastures or where more than one water source is available.
7. Other salt and minerals may be provided free choice to balance specific needs.
9. A two week adaptation period will be required to establish a base consumption rate. After adaptation period, recommended range of intake is .25 to .30 lbs. per day.

The above feeding directions are general guidelines and will vary with the overall feeding conditions. Always use good management practices.

CAUTION: USE AS DIRECTED

Do not use in association with another feed containing supplemental selenium.

Control #: _____



Guaranteed by Harvest Fuel, Inc., Walthalla, ND / Mfd. by SweetPro Feeds, Horton, KS, 66439 / 800.327.9222

All rights reserved. SweetPro is a registered trademark of Harvest Fuel, Inc. Made in U.S.A. Printed with soy inks.

