

# SweetPro®

**SweetPro®**

PREMIUM FEED SUPPLEMENTS

Reg. No. 640975



**Mineral EX II**

*Mineral Block for Beef Cattle*

Net Wt. 114 kg  
(250 lbs)

## Guaranteed Analysis

*This feed contains added selenium at 30 mg/kg*

Calcium (Ca), Actual.....	7.50%	Cobalt (Co), Actual.....	25 mg/kg
Phosphorus (P), Actual.....	6.20%	Copper (Cu), Actual.....	4200 mg/kg
Salt (NaCl), Actual.....	14.50%	Iodine (I), Actual.....	50 mg/kg
Magnesium (Mg), Actual.....	3.20%	Iron (Fe), Actual.....	2300 mg/kg
Sodium (Na), Actual.....	5.60%	Manganese (Mn), Actual.....	5500 mg/kg
		Zinc (Zn), Actual.....	7,200 mg/kg

Vitamin A, Minimum.....	500,000 IU/kg
Vitamin D, Minimum.....	130,000 IU/kg
Vitamin E, Minimum.....	500 IU/kg

**Ingredients:** Mono-Dicalcium Phosphate, Condensed Corn and Wheat Distillers Solubles, Corn and Wheat Distillers Dried Grains with Solubles, Salt, Calcium Sulfate, Calcium Carbonate, Magnesium Oxide, Potassium Chloride, Yeast Culture Dehydrated, Aspergillus Oryzae Fermentation Product Dehydrated, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Cobalt Carbonate, Sodium Selenite, Zinc Manganese & Copper Proteinates (Reg. 982101), Ethylenediamine Dihydrochloride, Vitamin E Supplement, Vitamin D3, Vitamin A.



1 (800) 327-9222

## Feeding Directions for Mineral Block

1. Before Feeding *SweetPro Mineral EX II* lick blocks for the first time, animals should be well fed and have access to plenty of clean, fresh water.
2. Have one lick block available for each 20 to 25 head of beef cattle.
3. Provide an adequate source of good quality forage at all times (all they can eat).
4. Place lick blocks near areas where animals loaf and at least 30 meters from water.
5. Make lick blocks available in more than one location in large pastures or where more than one water source is available.
6. If animals run out of lick blocks, repeat from Step #1.
7. Provide a fresh, clean supply of water at all times.
8. Other salt and mineral may be provided free choice to balance specific ration requirements.
9. A two week adaptation period will be required to establish a base consumption rate. After adaptation period, consumption will be approximately:  
Cows: 50 to 100 grams per head per day  
(2 to 3.5 ounces per head per day)
10. The above feeding directions are general guidelines and will vary with the overall feeding conditions. Always use good management practices and adapt to your specific requirements.

## Caution

1. Contains 4200 ppm Copper. **DO NOT FEED TO SHEEP**  
Directions for use must be carefully followed.
2. Do not use in association with another feed containing supplemental selenium.

Control #:

Registered by Harvest Fuel, Inc. Walthalla, ND 58282 Horton, KS 66439

All rights reserved. SweetPro® is a registered trademark of Harvest Fuel, Inc. Made In U.S.A. Printed with soy inks.

Patent NO.: US 5,260,089 Patent NO.: US 6,777,019 B1 Patent NO.: US D352,136 Patent NO.: US D440,362 Patent NO.: US D428,232

Mineral EX II