

SweetPro®

(114 kg.) **Net Wt. 250 lbs.**

PowerMate 1

Guaranteed Analysis

Crude Protein	Minimum 16.00%
Crude Fat	Minimum 5.00%
Crude Fiber	Maximum 5.50%
Calcium (Ca)	Minimum 1.50% - Maximum 2.00%
Phosphorus (P)	Minimum 0.90%
Salt (NaCl)	Minimum 10.50% - Maximum 11.50%
Magnesium (Mg)	Minimum 0.80%
Potassium (K)	Minimum 0.60%
Sulfur (S)	Minimum 0.40%
Copper (Cu)	Minimum 600 ppm
Selenium (Se)	Minimum 4.75 ppm - Maximum 5.25 ppm
Zinc (Zn)	Minimum 1,200 ppm
Manganese (Mn)	Minimum 750 ppm
Cobalt (Co)	Minimum 4.0 ppm
Iodine (I)	Minimum 8.0 ppm
Vitamin A	Minimum 100,000 IU/lb.
Vitamin D	Minimum 20,000 IU/lb.
Vitamin E	Minimum 80 IU/lb.
Alpha-Amylase	Minimum 3,393 ug starch hydrolyzed/min/oz.
Amyloglucosidase	Minimum 513 ug maltose hydrolyzed/min/oz.

Ingredients: Corn Condensed Distillers Solubles, Corn Distillers Dried Grains with Solubles, Salt, Diatomaceous Earth (*Diatomaceous Earth used as a binder*), Mono-Calcium Phosphate, Yeast Culture, Magnesium Oxide, Calcium Sulfate, Vegetable Oil (Flax and Canola Oil), Potassium Chloride, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Zinc Polysaccharide Complex, Zinc Proteinate, Manganese Polysaccharide Complex, Manganese Proteinate, Copper Polysaccharide Complex, Copper Proteinate, Cobalt Carbonate, Sodium Selenate, Ethylenediamine Dihydroiodide, Vitamin A Acetate (Stability Improved), Vitamin D3 Supplement, Vitamin E Supplement.

Zinc, Manganese and Copper are 50% organically complexed.

Does Not Contain Any Animal Protein

PowerMate 1

SweetPro® PowerMate 1 blocks are designed for essential fortification of cows, stocker cattle, and goats requirements for vitamins A, D & E, plus protein, calcium, phosphorus and trace elements including selenium. Daily intake will vary depending on forage quality and nutritional needs.

Feeding Instructions:

1. Before feeding SweetPro® PowerMate 1 block for the first time, animals should be well fed.
2. Have one lick block available per 25 head of beef and dairy cattle.
3. Have one lick block available per 50 head of goats.
4. Provide access to plenty of clean, fresh water at all times.
5. Provide an adequate source of good quality roughage and forage at all times (all they can consume).
6. Make blocks available in more than one location in large pastures or where more than one water source is available.
7. Other salt and minerals may be provided free choice to balance specific needs.
8. A two week adaptation period will be required to establish a base consumption rate. After adaptation period, recommended range of intake is .75 to 1.25 lbs./hd/day for cattle and 1.0 to 2.5 ounces/hd/day for goats.
9. Once animals consistently consume more than 1.25 lbs/hd/day for cattle and 2.5 ounces/hd/day for goats, transition to PowerMate 2.

The above feeding directions are general guidelines and will vary with the overall feeding conditions. Always use good management practices.

CAUTION: USE AS DIRECTED

Contains 600 ppm copper. **DO NOT FEED TO SHEEP!**

Do not use in association with another feed containing supplemental selenium.

Control #: _____



Guaranteed by Harvest Fuel, Inc., Walhalla, ND / Mfd. by SweetPro Feeds, Horton, KS, 66439 / 800.327.9222

All rights reserved. SweetPro is a registered trademark of Harvest Fuel, Inc. Made in U.S.A. Printed with soy inks.

